



RECA & Grass Movement Systems
Product Guide

# **RECA-UK**RECA | CONNECTS. PERFORMS. INSPIRES.





## Introduction

**RECA-**UK LTD is part of the European **RECA** Group.

The RECA Group, with over €700 million turnover, offer massive resources to help give you, the customer, the best possible service. With over 9,000 active customers already in the UK, it is easy to see that our high quality consumable products offered within the RECA range make sense to all professionals in every trade. Every RECA product offers innovation and improved performance to that which is standard within the industry.

**RECA-**UK LTD has a sales force of over 80 sales professionals giving nationwide coverage, offering

technical advice on over 5,500 lines that are available from our distribution facility in West Bromwich, where we we offer a next day delivery service as standard.

**NEW FOR 2020!** RECA's first trade counter is now open in West Bromwich, conveniently located just off J1 of the M5.

#### What we can offer you?

- **Product Quality** The cornerstone of success for the entire group. RECA products are designed and specified to German standards so that quality and reliability are guaranteed. RECA are consistently refining and improving products with state-of-the-art technology and new manufacturing techniques to produce and develop an unprecedented range of superior products.
- Exclusivity RECA products are sold exclusively direct to professionals in the metal and construction trades; through our field sales team, telesales, trade counter and e-shop, they are not available through retail or trade distribution.
- Technical support and backup Available either through your local sales representative or our technical customer service team in West Bromwich.

## **GRASS GmbH Movement Systems**

A globally successful group of companies, a fresh brand with tradition and an extraordinary diversity of perspectives — that's GRASS in a nutshell. With sales revenues of 380 million euros in the financial year 2019, more than 1,900 employees at 19 locations and more than 200 distributors in 60 countries, GRASS ranks among the world's leading specialists in movement systems.

As development partner and systems supplier to the furniture industry, GRASS has been creating products which inspire its customers for more than 65 years.





# **Hinge Systems**

#### **NEXIS CLICK ON HINGES**

The tried and tested range with efficient and fast click-on installation technology - one click and the hinge engages audibly in the mounting plate.

## Nexis Click-On 04 (100°)

- 100° opening angle
- Optimum reveals with door thickness up to 24mm
- Soft close compatible
- Click on screw fixing

Full Overlay Half Overlay	Inset	100°

Art. No.	<b>Door Overlay</b>	Cup Material	Arm Material	Cranking	Box Qty
7659 000 000	Full Overlay	Steel, nickel plated	Steel, nickel plated	0	250
7659 000 005	Half Overlay	Steel, nickel plated	Steel, nickel plated	8	250
7659 000 010	Inset	Steel, nickel plated	Steel, nickel plated	15	250

### Nexis Click On 65 (170°)

- Wide angle hinge
- 170° opening angle
- Optimum reveals with door thickness up to 26mm
- Soft close compatible
- Click on screw fixing






Art. No.	<b>Door Overlay</b>	Cup Material	Arm Material	Cranking	Box Qty
7659 005 000	Full Overlay	Zamak, nickel plated	Zamak, nickel plated	0	50
7659 005 005	Half Overlay	Zamak, nickel plated	Zamak, nickel plated	8	50

#### Nexis Click On 05 (95°)

- Profiled door hinge to suit door thickness up to 30mm
- 95° opening angle
- Minimum reveals with thick doors
- Soft close compatible
- Click on screw fixing





Art. No.	<b>Door Overlay</b>	Cup Material	Arm Material	Cranking	Box Qty
7659 010 000	Full Overlay	Steel, nickel plated	Steel, nickel plated	0	250
7659 010 005	Half Overlay	Steel, nickel plated	Steel, nickel plated	8	250

# **RECA-UK**

RECA | CONNECTS. PERFORMS. INSPIRES.

#### Nexis Click-On 05/45/3 (95°)

- 95° opening angle for 45° cupboard
- To suit door thickness up to 30mm





Art. No.	Door Overlay	Cup Material	Arm Material	Box qty
7659 015 010	Inset	Steel, nickel plated	Zamak, nickel plated	125

Please note: Installation information available on request.

## **Nexis Click On Mounting Plates For Screw Fixing.**





- Steel/Zamak, nickel plated.
- Fixing with wood screws.
- Fixing distance 37mm, hole spacing
   Fixing distance 37mm, hole spacing 32mm.
- Height and depth adjustment via a
   Height adjustment via slot cam.



1 Part Cross Mounting Plate, 2-**Point Fixing** 

- Steel nickel plated
- Fixing with wood screws
- 32mm



1 Part Cross Mounting Plate, 2-**Point Fixing For Twin Application** 

- Steel nickel plated
- Fixing with pre-assembled 10.5mm long euro screws
- Fixing distance 37mm, hole spacing 32mm
- Height adjustment via slot

Art. No.	Height	Box Qty		
7659 100 000	0	250		
7659 100 002	2	250		
7659 100 004	4	250		
7659 100 008	8	250		

Height	Box Qty
0	250
2	250
4	250
	Height 0 2 4

Art. No.	Height	Box Qty
7659 110 000	0	250
7659 110 002	2	250
7659 110 004	4	250

## **Soft Close Click-On Accessory Set**


for Nexis Click-on and Slide 95°, 100°, 110° and 125°hinges

#### 1 set includes:

- 1 soft close adapter with pre-assembled Soft-close damper for Nexis Click-on and Nexis Slide-on hinges
- 1 hinge cup cover cap
- 2 cover caps
- Box quantity:125

Art. No.: 7659 120 000







# **Slide Systems**


### **DYNAMOOV SLIDE SYSTEM**

## Dynamoov Soft Close Full Extension Slide (30kg)

- Excellent running characteristics
- Soft-close damping system
- Stepless self-locking of the drawer when placed on the slide
- Integrated height adjustment, tool free +3.5mm
- Set: one left, one right

Art. No.	Nominal Length	Box qty
7659 200 270	270	20
7659 200 300	300	20
7659 200 350	350	20
7659 200 400	400	20
7659 200 450	450	15
7659 200 500	500	15






### **Front Locking Device Set**


• Set: One left, one right

Box qty 50

Art. No.: 7659 205 00







# **RECA-UK**

RECA | CONNECTS. PERFORMS. INSPIRES.


#### Dynamoov Tipmatic Full Extension Slide 30kg

- Tipmatic full extension slide for handle free fronts
- Tipmatic ejector unit integrated into the slide
- Excellent running characteristics
- Integrated height adjustment, tool free +3.5mm
- Integrated front gap adjustment +1.5mm
- The Tipmatic unit will not suffer damage when the drawer is pulled open in the conventional way
- Pressing within the central third of the front produces optimum opening action
- Set: one left, one right



Art. No.	Nominal Length	Box qty
7659 210 450	450	5

Please note: planning dimensions available on request.




#### **Front Locking Device Set**


• Set: One left, one right

Box qty 50

Art. No.: 7659 205 00











Anchors including resin



RECA-UK Limited, Doranda Way, West Bromwich, B71 4LU 30121 525 0525 sales@reca-uk.com

Visit www.reca-uk.com or eshop.reca-uk.com to see our extensive range of products.